



Handmade in Durango, Colorado USA

YETI[®]


CYCLES

WHEELS




DRIVE

LAWWILL 6

Molas Pass, 43 miles North of Durango, CO - Elevation: 10,823'






LAWWILL 4




A. R. C. A. S. - 3

Shelfer Mountain, overlooking downtown Durango, CO - Elevation: 7,824'





A . R . C .

Chris Park - 18 miles North of Durango, CO - Elevation: 7,563





F. R. O. A L L O P Y

Cherry Creek - 38 miles West of Durango, CO - Elevation: 6,845'





F. R. O. C H R O M I O

Kenneth's Pass - 36 miles Northwest of Durango, CO - Elevation: 11,607'




ROAD PROJECT

Shabona Hill, 1.4 miles North of Durango, CO on old Highway 580 - Elevation: 7,285'




SUSPENSION FRAMES

HARDTAIL FRAMES



LAWMILL - 6



LAWMILL - 4



A.R.C. A.S - 3



A.R.C.



F.R.O. ALLOY




F.R.O. CHROMO



ROAD PROJECT


To ensure a great ride, Yeti has carefully chosen each and every component in our new line of complete bicycles for 1997. For those of you who want to build your dream bike piece-by-piece, we gladly offer our entire line of handcrafted frames separately.

LAWMILL - 6




A	16"	18.5"
B	23.5"	23.75"
C	69°	73°
D	43.6"	43.85"
E	16.9"	16.9"
F	12.5"	12.5"
G	1.62"	1.62"
H	4.25"	4.5"
Stand-over		30.5"*
		31.75"*

LAWMILL - 4




A	14"	16"	18.5"
B	21.4"	23.5"	23.75"
C	70°	70°	73°
D	40.9"	43.0"	43.3"
E	16.9"	16.9"	16.9"
F	12.0"	12.0"	12.0"
G	1.62"	1.62"	1.62"
H	4.25"	4.25"	4.5"
Stand-over		29.0"*	31.25"*

A.R.C. A.S. - 3




A	16"	17.5"	19"	20"
B	21.3"	21.9"	22.7"	23.0"
C	71°	71°	71°	71°
D	41.0"	41.7"	42.3"	42.7"
E	16.9"	16.9"	16.9"	16.9"
F	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"
H	4.5"	4.5"	5.25"	6.0"
Stand-over		28.5"*	29.75"*	31.0"*

A.R.C.




A	14"	16"	17.5"	19"	20"
B	21.0"	22.0"	22.6"	23.1"	23.5"
C	71°	71°	71°	71°	71°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over		27.75"*	29.25"*	29.75"*	31.75"*

F.R.O. ALLOY




A	14"	16"	17.5"	19"	20"
B	21.0"	22.0"	22.6"	23.1"	23.5"
C	71°	71°	71°	71°	71°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over		27.75"*	29.25"*	29.75"*	31.75"*

F.R.O. CHROMO



A	14"	16"	17.5"	19"	20"
B	21.0"	22.0"	22.6"	23.1"	23.5"
C	71°	71°	71°	71°	71°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over		27.75"*	29.25"*	29.75"*	31.75"*

ROAD PROJECT



A	49cm	51cm	53cm	55cm	57cm	59cm	61cm
B	52.5cm	53.3cm	54.3cm	55.6cm	56.5cm	57.4cm	58.5cm
C	73°	73°	73°	73.5°	73.5°	74°	74°
D	97.0cm	97.5cm	98.0cm	98.0cm	98.4cm	99.1cm	100.2cm
E	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm
F	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm
G	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm
H	9.0cm	9.0cm	11.0cm	12.5cm	14.5cm	16.0cm	18.0cm
Stand-over		74.0cm	76.0cm	78.0cm	80.0cm	81.5cm	83.5cm

* DEPENDING ON SET-UP

Seatpost Diameter: All MTB Models 26.8 mm • Road Project 27.2 mm

Headset Diameter: All MTB Models 1.125" • Road Project 1.0"

Bottom Bracket Width: All Aluminum MTB Models 73 mm • Road Project and F.R.O. Chromo 68 mm; English Standard Threading

Front Derailleur Clamp Diameter: Yeti/Lawmill - Bottom Bracket Mount • A.R.C., F.R.O. Alloy and Road Project 1.25"/31.8mm • A.R.C. A.S. - 3 and F.R.O. Chromo 1.125"/28.6mm

S P E C I F I C A T I O N S

	LAWWILL - 4	A.R.C. A.S. - 3 XT	A.R.C. A.S. - 3 LXT	A.R.C. XTR	A.R.C. XT	F.R.O. ALLOY LXT
COLORS/ GRAPHICS	Turquoise w/Yellow Seatstay and Turquoise Chromstay w/ Troy Lee Designs Graphics - Yellow, Black, White	Yellow w/Troy Lee Designs Graphics - Turquoise, Silver, Black	Polished Tail Section	Polished Tail Section	Turquoise w/Troy Lee Designs Graphics - Yellow, Black, White	Turquoise w/Troy Lee Designs Graphics - Yellow, Black, White
OPTION	Polished Tail Section	Polished Tail Section	Polished Tail Section	N/A	N/A	N/A
SIZES	14", 16", 18.5"	16", 17.5", 19", 20"	16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"
FRAME	7005 Easton Tapered Main Frame, 6061 Lawwill Tail, Suspension-Specific Design, Custom Yaw/Rock Shock Coil-Over Pull Shock w/Adjustable Damping, Rear Disk Brake	Yeti 6061 Custom Butted Aluminum, Suspension-Specific Design, Rock Shock Coupe Deluxe Coil-Over Shock w/Adjustable Damping	Yeti 6061 Custom Butted Aluminum, Suspension-Specific Design, Rock Shock Coupe Deluxe Coil-Over Shock w/Adjustable Damping	Yeti/Easton Custom Tapered 7005 Aluminum, Suspension-Specific Design, Double-Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts	Yeti/Easton Custom Tapered 7005 Aluminum, Suspension-Specific Design, Double-Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts	Yeti Custom Butted 7005 Aluminum, Suspension-Specific Design, Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts
FORK	Rock Shock DH0, Thru-Axle Type	Rock Shock Judy XC Long Travel/260mm	Rock Shock Judy XC Long Travel/260mm	Rock Shock Judy SL/260mm Travel	Rock Shock Judy SL/260mm Travel	Rock Shock Judy XC/260mm Travel
HEADSET	Single Shimano Jimma A-Headset, Sealed Bearing/Alloy	Die Cast Series III A-Headset, Sealed Bearing/Alloy	Die Cast Series III A-Headset, Sealed Bearing/Alloy	Die Cast Series III A-Headset, Sealed Bearing/Alloy	Die Cast Series III A-Headset, Sealed Bearing/Alloy	Targa DX A-Headset/Alloy
CRANKSET	Shimano XTR, 4Arm, 24-34-46T	Shimano Deore XT, 22-32-42T	Shimano Deore LX, 22-32-42T	Shimano XTR, 4Arm, 24-34-46T	Shimano Deore XT, 22-32-42T	Shimano Deore LX, 22-32-42T
F. DERAILLEUR	Shimano XTR, Top Swing/Top Pull w/ Carbon Mounting Bracket	Shimano Deore XT, Bottom Pull	Shimano Deore XT, Bottom Pull	Shimano XTR, Top Swing/Top Pull	Shimano Deore XT, Top Swing/Top Pull	Shimano Deore XT, Top Swing/Top Pull
R. DERAILLEUR	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano XTR	Shimano Deore XT	Shimano Deore XT
SHIFTERS	Shimano XTR Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano XTR Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore XT Rapidfire SL
FREEWHEEL	Shimano XTR 12-32T, 8-Speed	Shimano Deore XT 11-30T, 8-Speed	Shimano Deore XT 11-30T, 8-Speed	Shimano XTR 12-32T, 8-Speed	Shimano Deore XT 11-30T, 8-Speed	Shimano Deore LX 11-30T, 8-Speed
PEDALS	Shimano SPD 686 DH Dipless	Shimano SPD 747 Dipless	Shimano SPD 747 Dipless	Shimano SPD 747 Dipless	Shimano SPD 747 Dipless	Scott Clipless
BRAKES / LEVERS	F: Shimano XTR V-Brake/Rapidfire SL R: Hope Hydraulic Disk Brake/Hope/Rapidfire SL	F: Shimano XT V-Brake/Rapidfire SL R: Shimano XT V-Brake/Rapidfire SL	F: Shimano LX V-Brake/Rapidfire SL R: Shimano LX V-Brake/Rapidfire SL	F: Shimano XTR V-Brake/Rapidfire SL R: Shimano XTR V-Brake/Rapidfire SL	F: Shimano XT V-Brake/Rapidfire SL R: Shimano XT V-Brake/Rapidfire SL	F: Shimano LX V-Brake/Rapidfire SL R: Shimano LX V-Brake/Rapidfire SL
HANDLEBAR	Yeti T24-DH, Tapered Alloy	Yeti Thermoplastic XC	Yeti Thermoplastic XC	Yeti Thermoplastic XC	Yeti Thermoplastic XC	Yeti/Easton EA70, Tapered Alloy
GRIPS	Yeti	Yeti	Yeti	Yeti	Yeti	Yeti
STEM	Ringle Zwick Clamp-On A-Head 10 - Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise
HUBS	F: Ringle/Rock Shock DH0, Thru-Axle Type, 32H R: Ringle Disk Brake Compatible, 32H	F & R: Shimano Deore XT, O/R, 32H	F & R: Shimano Deore LX, O/R, 32H	F & R: Shimano XTR, O/R, 32H	F & R: Shimano XT, O/R, 32H	F & R: Shimano Deore LX, O/R, 32H
RIMS	Mavic SUP 121 CD, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 220 Blue/Grey, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 220 Blue/Grey, 32H
SPOKES	DT 156 Stainless Steel w/Brass Nipples	DT Revolution Stainless Steel w/Alloy Nipples	DT 156 Stainless Steel w/Brass Nipples	DT Revolution Stainless Steel w/Alloy Nipples	DT Revolution Stainless Steel w/Alloy Nipples	DT 156 Stainless Steel w/Brass Nipples
TIRES	Michelin Wildgripper DH, 26 x 2.2, Kevlar Bead	WTB Velocaptor 26 x 2.1, Kevlar Bead	WTB Velocaptor 26 x 2.1, Kevlar Bead	Michelin Wildgripper 26 x 1.95, Kevlar Bead	Michelin Wildgripper 26 x 1.95, Kevlar Bead	WTB Velocaptor 26 x 2.1, Kevlar Bead
SADDLE	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered
SEATPOST	Ringle Moby Post	Control Tech Control Post, Micro-Adjustable	Control Tech Control Post, Micro-Adjustable	Control Tech Control Post, Micro-Adjustable	Control Tech Control Post, Micro-Adjustable	Control Tech Control Post, Micro-Adjustable
EXTRAS	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish

Specifications are subject to change without notice.
 Some bicycles may be shown in this manual or in advertisements without CPSC required equipment.
 All Yeti bicycles meet or exceed CPSC requirements.



The Yeti Factory Crew



Yeti Cycles, Inc.
194 Bodo Drive
Durango, CO U.S.A. 81301
Tel. 970.259.1914
Fax 970.259.4550

SSG Europe SA
Route du Crochet 17
CH-1762 Givisiez
Tel. 037/80 16 16
Fax 037/80 16 00

YETI is a Registered Trademark of Yeti Cycles, Inc.

Photography by Jim Sadlon • Cover Image & Photographic Production by Scott Smith/Imagesmith

