

allows the professional racer, the aspiring expert and the fanatical enthusiast to benefit equally from our efforts. product with the most cutting-edge designs...all in the name of fun! Yeti's dedication to the craft and to the sport Mountain Biking, from the inaugural World Cross-Country Champion to countless professional athletes who choose continue to have a following that borders on cult status. The biggest reward in all of this is knowing that we provide a top quality product at a fair price and that we to race, train and play on our products. Yeti has remained unwavering in our quest to provide the finest quality biggest little companies in the business. Yeti's racing heritage reads like the Who's Who of Professional he dream of a dreamer, Yeti Cycles was started on a shoestring twelve years ago and remains one of the

and gone, but the tribe will not split and the Yeti will not hide. Thanks to those who know, and welcome to those world-class bicycles, components and accessories. A lot of things have changed and a lot of our friends have come daily basis. Yeti is committed to supporting the sport of mountain biking with the continued development of We are proud to know how seriously Yeti owners regard our bikes and it is this support that feeds our drive on a

YETI CYCLES




the premium price tag that a Yeti commands, but you won't sleep until you can experience the satisfaction of riding a real mountain bike. Your day has arrived!

Yeti has and will always stand for handcrafted quality. We use only the finest materials and designs to represent form and function from the ground up. In our relentless pursuit to build the finest mountain bikes on the planet for those who can truly appreciate who we are and what we do, we found an equation that allows us to provide the quality we live for at a price you can afford.

The F.R.O. Alloy is constructed from a 7005 tubeset that has been custom drawn to Yeti's demanding specifications. Yeti framebuilders use the same race-proven geometry that has been used in the top-of-the-line A.R.C. for seven years. The SYMMETRY tail section is a new spin on our trademark one-piece loop tail. SYMMETRY allows gobs of tire and mud clearance, while providing powerful, flex free braking under the loads of today's super cantilever brakes.

The F.R.O. Alloy is our commitment to being handmade in America with quality materials and a sensible price.

eH custom 7005 butted aluminum. Material where you need it!



Trademark Yeti loop tail, internally and at the head tube

Vertically-flared down tube for added strength

Cross Country Championships and later to

untless National and World Cup cross-untry wins. The A.R.C. is also the first

Yeti to roost dual slalom

victory here in Durango at the inaugural World version of the frame that Juli Furtado rode to Taperwall aluminum. This model is a refined

he A.R.C. is our flagship hardtail, using Yeti Custom Easton 7005 ProGram

externally tapered, provides or shock absorption and lateral rigidity.

responsiveness you want from a hardtail, removing material in the center of the tube to provide resilience and light weight. At 3.4 pounds, you won't be carrying anything zones for strength and durability, while the tube along its entire length allows Yeti you had for lunch. it. We add material in the critical weld to put the material exactly where we need chair. Easton's ability to taper the wall of with the comfort of your favorite easy extra except for that triple-decker pastrami A.R.C. gives you the torsional rigidity and tail. Truly the best of both worlds, the aluminum with our trademark Yeti loop h<mark>en</mark> we combine the advantages of 7005 series Program Taperwall could be further from the ized aluminum frames mean bard ride and limited frame

A.R.C. is the ultimate cross-country Nothing beats a hardtail for efficiency; the machine, hands down.



Yeti Custom Easton

7005 ProGram Taperwall aluminum.

# HILL: ALSE-B XG

original A.S. and A.S.-LT, the A.S.-3 XC is suspension. Keeping with the tradition of the next generation in cross-country fullfully active and rock-solid at speed. the way with its original A.R.C.-A.S., which full-suspension designs. The A.S.-3 XC is the proved to be the beginning of truly active just a wild idea and Yeti was leading few years ago, full-suspension was

name, the A.S.-3 XC uses traditional active, fully-adjustable travel. True to its strut shock, providing three inches of an interrupted seat tube design that bracket pivot points. The A.S.-3 XC utilizes aluminum helps keep the frame light & stiff cantilever bosses on the seatstays in order accommodates the Rock Shox Coupe Deluxe of traditional full-suspension bottom eliminates the energy-robbing torsional flex unibody bottom bracket design that all but material and design. Like its All Mountain brakesets. A custom blend of 6061 to accommodate lightweight cantilever brother, the A.S.-3 XC utilizes an extruded The A.S.-3 XC is a masterful combination of


course that's beating you to death, the suspension frame for that cross-country So, when you want a race-ready, and versatility you are looking for. A.S.-3 XC has the performance, light weigh



bearing which delivers excellent torsional rigidity Seat stay pivot points utilize a sealed cartridge

> coil-over spring preload and adjustable damping ROCK SHOX Coupe Deluxe shock with separate

for fully-active, stiction-free action.



# MELLINOS-ES AUTOUN



high-speed steering contro steering rigidity to ensure accurate Triple clamp front fork provides excellent

All Mountain represents a new breed that

downhill and cross-country alike. The A.S.-3 hat it takes to handle the conditions of

easily deals with the demands of both.

experience of hundreds of races and

courses around the world. dominated downhill and cross-country ver the past twelve years, Yeti has

thousands of training miles has taught us



dropout provide powerful, fade-free braking

unibody bottom bracket is extruded from to easily scrub your speed to a tolerable blur. points. Disk brake-specific rear dropouts solid billet aluminum, minimizing the designed to enhance every aspect of your accommodate a hydraulic disk brake in order typical sway of full-suspension, lower pivot the ride to your every whim. Our unique adjustable damping allow you to fine tune travel. Coil-over spring preload and deliver over three inches of stiction-free the Rock Shox Coupe Deluxe strut shock to Our perfectly balanced combination of frame the downhill, the A.S.-3 All Mountain is interrupted seat tube design readily allows limits you never knew existed. The braking technology will have you pushing design, full-suspension and the latest in mountain biking experience with confidence. If you don't mind the climbs and you live for

the A.S.-3 All Mountain is the answer! fun. So when you want it ALL in one stop, package of performance, good looks and The A.S.-3 All Mountain is one solid

eliminate lateral flex at the lower pivot.

Extruded unibody bottom bracket and chainstay yoke work together to

rom the minds of great racers, great teams and fanatical dreamers come bikes like the Yeti-Lawwill DH Four and Six. As a member of Team Harley Davidson for nearly twenty years, Mert Lawwill is an AMA Grand National Flat Track Champion with seventeen National Event wins under his belt! Mert Lawwill and the dedicated frame builders at Yeti stepped inside the doors of the Yeti R&D shop in 1995 and began brewing what has become one of the winningest downhill designs to ever hit the circuit.

cartridge bearings which provide countless smooth, TURCITE bushings and sealed primary pivot points are supported by silks absorbed by the suspension. The fo directly to the ground without being ensures that all of your energy is transferred section. Mert's patented quadrilateral design Energy Transfer System (F.E.T.S.) tail At the heart of the Yeti-Lawwill is the Full are readily addressed by a fully-floating, Scotty in the engine room for warp speed by the Rock Shox Coupe Deluxe pull shock, hydraulic disk brake. your concerns of how to slow this pony down plush, progressive travel inviting you to visit With your choice of four or six inches of which is totally isolated, allowing it to miles of reliable action. Damping is handled ion independently without being relied as a structural member of the frame.

When you are ready for the white-knuckled ride of your life, there is no substitute; climb aboard the Yeti-Lawwill and ride what we race!


the ground. Hydraulic disk brakes provide powerful, fade-free control.

# Oversized vertically evalized top tube and down

Oversized, vertically ovalized top tube and down tube combined with a straight-gauge head tube ensure bombproof downhill durability.



ROCK SHOX Coupe Deluxe pull-shock with separate coil-over spring preload and adjustable damping



# 

Double-tapered seatstays for improved shock absorption and comfort. Oversized, tapered chainstays for sprint-winning torsional rigidity and low-profile crank clearance.



Performance, comfort and quality, all in a 2.5 pound package...what more can we say.

relatively easy. Starting with a blend of Easton Elite and experience with Easton 7005 ProGram Taperwall aluminum made this "project"


ago and have seen increasing interest every year since. No one expected a mountain bike company to produce such a sweet-

ill one of the best rides going. We introduced the Road Project three years

riding road bike. However, our extensive

size in order to ensure perfect fit and component group compatibility. considered geometry, rider needs and current custom-tapered Yeti tubes, we carefully Starting with a blend of Easton Elite and S-bend at the dropout to provide clearance comfort. Considering low-profile cranksets seatstays give the tail of the frame excellent vertically oval chainstays and double-tapered we joined the tubes together with the finest developed geometries specific to each frame fiber fork. finish and a shock-absorbing, TIME carbon the frame with a durable powdercoat without crimping any tubes. We round out and bottom brackets, we added a swoopy torsional rigidity and resilient all-day TIG welds in the business. Oversized, performance. Then, in typical Yeti fashion,

If you think our mountain bikes are good take a ride on one of the best kept secrets around. But don't wait too long... these babies are in limited production and at 2.5





LAWWILL DH - 4



## m D C

40.9"

21.4" 73°

23.5" 70° 73°

70°

70° 73°

14" 16" 18.5"

12.0" 16.9"

12.0' 16.9"

	\$.	<b>A</b>			
	7	S	in the second	7	
	1				A
П	1				
	-	В	0		<u>_</u>

16"	
17.5"	
19"	
20 <sup>*</sup>	

FRAME

A.S. - 3 All Mountain

COLOR/GR SIZES

			-	5	A.	s F	A.	-	
-	0	16	S.	1	Remark				Α
			-	_	,	1		lo-h-	•
G	\ <del> </del>		-				10	-	
						-	1	ı	
=	G	77	m	J		ω.	_		

	6	<u> </u>		-				2	Ξ
Stand-o	H	G	T	Ε	D	0	В	A	
Stand-over 28.5"*	4.5"	1.62"	11.5"	16.9"	41.0"	73°	71°	21.3"	16"
29.0	4.5"	1.62"	11.5"	16.9"	41.7"	73°	71°	21.9"	17.5"
"*29.75"*31.0"*	5.25"	1.62"	11.5"	16.9"	42.3"	73°	71°	22.7"	19"
31.0"*	6.0"	1.62"	11.5"	16.9"	42.7"	72°	71°	23.0"	20"

### A.S. - 3 XC

Stand-over29.0"\* 30.0"\* 31.25"

4.5"

4.5" 12.0" 16.9" 43.0" 43.3'

1.62" | 1.62" | 1.62"



Stand-o	Ξ	G	T	Е	D	C	В	A	
···28.5"	4.5"	1.62"	11.5"	16.9"	41.0"	73°	71°	21.3"	16"
29.0	4.5	1.62	11.5	16.9	41.7	73°	71°	21.9	17.5
29.75"*	5.25"	1.62"	11.5"	16.9"	" 42.3" 42.7"	73°	71°	22.7"	19"
31.0"*	6.0"	1.62"	11.5"	16.9"	42.7"	72°	71°	23.0"	20"

3		
		A
	C B	B

		*	-	L	-				
	0	-							
Stand-o	Ξ	G	т	Е	D	0	В	A	
ver 27.75"	H 4.0" 4.5" 4.5" 5.25" 6.0"	1.62"	11.0"	16.9"	41.0"	74°	71°	21.0"	14"
29.25"	4.5"	1.62"	11.5"	16.9"	41.5"	73°	71°	22.0"	16"
29.75"	4.5"	1.62"	11.5"	16.9"	42.0"	73°	71°	22.6"	17.5"
30.5"	5.25"	1.62"	11.5"	16.9"	42.25"	73°	71°	23.1"	19"
31.75"	6.0"	1.62"	11.5"		42.25" 42.25"	72°	71°	23.5"	20"

PEDALS FREEWHEE SHIFTERS REAR DER.

BRAKES/L

CRANKSET

HEADSET REAR SHO FORK

FRONT DE

### F.R.O. ALLOY



ä	30.5"	29.75"	29.25"	Stand-over 27.75" 29.25"	Stand-ov
=	5.25	4.5"	4.5"	4.0"	H
ľ	1.62	1.62"	1.62"	1.62"	G
5"	11.5	11.5"	11.5"	11.0"	F
Ĕ	16.9"	16.9"	16.9"	16.9"	m
5	42.25	42.0"	41.5"	41.0"	D
Ü	73°	73°	73°	74°	C
0	71°	71°	71°	71°	В
=	23.1"	22.6"	22.0"	21.0"	Α
	19"	17.5"	16"	14"	

### D

ROAD PROJ	
ROAD PROJ	
OAD PROJ	J
AD PROJ	)
D PROJ	,
PROJ	)
ROJ	3
5	j
	)
	ı
	ı
	9
and the same	į

GRIPS HANDLEB

HUBS STEM

Stand-o	Ξ	G	-	Ш	D	C	В	A	
Stand-over 74.0cm   76.0cm   78.0cm   80.0cm   81.5cm   83.5cm   85.5cm	9.0cm	4.0cm	26.9cm	40.9cm	97.0cm   97.5cm   98.0cm   98.0cm   98.4cm   99.1cm   100.2cm	74°	72.5°	52.5cm 53.3cm 54.3cm 55.6cm 56.5cm 57.4cm 58.5cm	49cm
76.0cm	9.0cm	4.0cm	26.9cm	40.9cm	97.5cm	74°	73°	53.3cm	51cm
78.0cm	11.0cm	4.0cm	26.9cm	40.9cm	98.0cm	74°	73°	54.3cm	53cm
80.0cm	12.5cm	4.0cm	26.9cm	40.9cm	98.0cm	73.5°	73.5°	55.6cm	55cm
81.5cm	9.0cm   11.0cm   12.5cm   14.5cm   16.0cm   18.0cm	4.0cm 4.0cm 4.0cm 4.0cm	26.9cm   26.9cm   26.9cm   26.9cm   26.9cm   26.9cm	40.9cm   40.9cm   40.9cm   40.9cm   40.9cm   40.9cm	98.4cm	73°	73.5°	56.5cm	49cm   51cm   53cm   55cm   57cm   59cm   61cm
83.5cm	16.0cm		26.9cm	40.9cm	99.1cm	73°	74°	57.4cm	59cm
85.5cm	18.0cm	4.0cm	26.9cm	40.9cm	100.2cm	72.5°	74°	58.5cm	61cm

### \*DEPENDING ON SET-UP

SADDLE

TIRES

SPOKES RIMS

EXTRAS SEAT POST

Seatpost Diameter: All MTB Models 26.8mm · Road Project 27.2 mm Headset Diameter: All MTB Models 1.125" · Road Project 1.0"

Front Derailleur Diameter: Yeti/Lawwill DH - Bottom Bracket Mount · A.R.C., F.R.O. Alloy and Road Project 1.25"/31.8mm · AS-3 XC & All Mtn. 1.125"/28.6mm Bottom Bracket Width: All MTB Models 73mm · Road Project 68mm; English Standard Threading Specifications subject to change without notice.

# 

TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP.	TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP.	EXTRAS
AMERICAN CLASSIC, 27.2 mm	AMERICAN CLASSIC, 27.2mm	KORE LITE, 26.8MM	KORE LITE, 26.8MM	KORE LITE, 26.8mm	KORE LITE, 26.8mm	KORE LITE, 26.8mm	KORE LITE, 26.8mm	SEAT POST
SELLE ROYAL PAVE	SELLE ROYAL PAVE	SELLE ROYAL FIZIK	SELLE ROYAL FIZIK	SELLE ROYAL FIZIK	SELLE ROYAL FIZIK	SELLE ROYAL FIZIK	SELLE ROYAL FIZIK	SADDLE
MICHELIN SYNERGIC 700x23	MICHELIN SYNERGIC 700x23	YETI FACTOR	YETI FACTOR	YETI FACTOR	YETI FACTOR	YETI FACTOR	MICHELIN WILDGRIPPER DH	TIRES
R: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES	MAVIC HELIUM	R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	R: 2.0 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES	R: 2.0 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES	R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	
F: 1.8 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES	MAVIC HELIUM	F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	F: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES	F: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES	F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES	SPOKES
MAVIC OPEN-PRO, SUP/UB CONTROL/SILVER, 32H	MAVIC HELIUM	MAVIC X222, UB CONTROL/SILVER, 32H	MAVIC X517 SUP/CD, 32H	MAVIC X517 SUP/CD, 32H	MAVIC X222, UB CONTROL/SILVER, 32H	MAVIC X317 DISK SUP/CD, 32H	MAVIC X521 SUP/CD, 32H	RIMS
R: SHIMANO ULTEGRA, 9-SPEED, 32H	R: MAVIC HELIUM, 28H	R: SHIMANO DEORE LX, ROLLER CLUTCH, 32H	R: SHIMANO DEORE XT, FREEHUB, 32H	R: SHIMANO XTR, FREEHUB, 32H	R: SHIMANO DEORE LX, ROLLER CLUTCH, 32H"	R: HUGI/HAYES DISK, 32H	R: HOPE DISK, THRU AXLE, 32H	
F: SHIMANO ULTEGRA, 32H	F: MAVIC HELIUM, 26H	F: SHIMANO DEORE LX, PARALLAX, 32H	F: SHIMANO DEORE XT, PARALLAX, 32H	F: SHIMANO XTR, PARALLAX, 32H	F: SHIMANO DEORE LX, PARALLAX, 32H	F: HUGI/HAYES DISK, 32H	F: HOPE DISK, 20mm THRU AXLE, 32H	нивѕ
TTT FORGE A-HEAD	TTT FORGE A-HEAD	KORE LITE A-HEAD, 10-DEGREE RISE	KORE LITE A-HEAD, 10-DEGREE RISE	KORE LITE A-HEAD, 10-DEGREE RISE	KORE LITE A-HEAD, 10-DEGREE RISE	KORE 3-D FORGED 105mm, O-DEGREE RISE	KORE ELITE A-HEAD, 105mm, O-DEGREE RISE	STEM
CORK	CORK	YETI SPEEDGRIP	YETI SPEEDGRIP	YETI SPEEDGRIP	YETI SPEEDGRIP	YETI SPEEDGRIP	YETI SPEEDGRIP	GRIPS
SCOTT ERGO	SCOTT ERGO	YETI ALLOY	YETT ALLOY	YETI EA-70	YETI ALLOY	YETI T2-4 DH, TAPERED ALLOY	YETI T2-4 DH, TAPERED ALLOY	HANDLEBAR
R: SHIMANO ULTEGRA DUAL PIVOT/DUAL CONTROL	R: SHIMANO DURA ACE DUAL PIVOT/DUAL CONTROL	R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL	R: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE SL	R: SHIMANO XTR V-BRAKE/RAPIDFIRE SL	R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL	R: HAYES HYDRAULIC DISK/HAYES HYDRAULIC	R: HOPE HYDRAULIC DISK/HOPE HYDRAULIC	
F: SHIMANO ULTEGRA DUAL PIVOT/DUAL CONTROL	F: SHIMANO DURA ACE DUAL PIVOT/DUAL CONTROL	F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL	F: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE SL	F: SHIMANO XTR V-BRAKE/RAPIDFIRE SL	F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL	F: HAYES HYDRAULIC DISK/HAYES HYDRAULIC	F: HOPE HYDRAULIC DISK/HOPE HYDRAULIC	BRAKES/LEVERS
N/A	N/A	TIME ATAC CLIPLESS	TIME ATAC CLIPLESS	SHIMANO SPD 747 CLIPLESS	TIME ATAC CLIPLESS	TIME ATAC CLIPLESS	SHIMANO SPD 636 DH CLIPLESS	PEDALS
SHIMANO ULTEGRA, 9-SPEED, 12-23T	SHIMANO DURA ACE, 9-SPEED, 12-23T	SHIMANO DEORE LX, 8-SPEED, 11-30T	SHIMANO DEORE XT, 8-SPEED, 11-30T	SHIMANO XTR, 8-SPEED, 12-32T	SHIMANO DEORE LX, 8-SPEED, 11-30T	SHIMANO DEORE XT, 8-SPEED, 11-30T	SHIMANO XTR, 8-SPEED, 11-30T	FREEWHEEL
SHIMANO ULTEGRA, DUAL CONTROL, 9-SPEED	SHIMANO DURA ACE, DUAL CONTROL, 9-SPEED	SHIMANO DEORE XT, RAPIDFIRE SL	SHIMANO DEORE XT, RAPIDFIRE SL	SHIMANO XTR RAPIDFIRE SL W/BAR END REMOTE CONTROL	SHIMANO DEORE XT, RAPIDFIRE SL	SHIMANO DEORE XT, RAPIDFIRE SL, POD TYPE	SHIMANO XTR, RAPIDFIRE SL POD TYPE (REAR ONLY)	SHIFTERS
SHIMANO DURA-ACE, 9-SPEED	SHIMANO DURA ACE, 9-SPEED	SHIMANO DEORE XT	SHIMANO XTR, REVERSE ACTION	SHIMANO XTR, REVERSE ACTION	SHIMANO DEORE XT	SHIMANO XTR, REVERSE ACTION	SHIMANO XTR, REVERSE ACTION	REAR DERAILLEUR
SHIMANO ULTEGRA, BRAZE-ON TYPE	SHIMANO DURA ACE, BRAZE-ON TYPE	SHIMANO DEORE XT, TOP SWING/TOP PULL	SHIMANO DEORE XT, TOP SWING/TOP PULL	SHIMANO XTR, DIFFERENTIAL PLATE, TOP SWING/TOP PULL	SHIMANO DEORE XT, TOP SWING/BOTTOM PULL	SHIMANO DEORE XT, TOP SWING/BOTTOM PULL	N/A	FRONT DERAILLEUR
SHIMANO ULTEGRA, 53-39T	SHIMANO DURA ACE, 53-39T	SHIMANO DEORE LX, 22-32-44T	SHIMANO DEORE XT, 22-32-44T	SHIMANO XTR, 4-ARM, 24-34-46T	SHIMANO DEORE LX, 22-32-44T	SHIMANO DEORE XT, 22-32-44T	SHIMANO XTR, 4-ARM DH, 48T	CRANKSET
CANE CREEK A-HEADSET SEALED BEARING/ALLOY	CANE CREEK A-HEADSET SEALED BEARING/ALLOY	TIOGA OSS-NSS-DX, A-HEADSET/ALLOY	CANE CREEK A-HEADSET SEALED BEARING/ALLOY	CANE CREEK A-HEADSET SEALED BEARING/ALLOY	TIOGA OSS-NSS-DX, A-HEADSET/ALLOY	CANE CREEK A-HEADSET SEALED BEARING/ALLOY	CANE CREEK A-HEADSET SEALED BEARING/ALLOY	HEADSET
N/A	N/A	N/A	N/A	N/A	ROCK SHOX COUPE DELUXE "STRUT" SHOCK	ROCK SHOX COUPE DELUXE "STRUT" SHOCK	ROCK SHOX COUPE DELUXE "YANK" SHOCK	REAR SHOCK
TIME CLUB STRAIGHT BLADE	TIME CLUB STRAIGHT BLADE	ROCK SHOX JUDY XC - 63MM TRAVEL	ROCK SHOX JUDY XC - 63MM TRAVEL	ROCK SHOX SID - 63mm TRAVEL	ROCK SHOX JUDY XC - 80mm TRAVEL	ROCK SHOX JUDY XL - 80mm TRAVEL	ROCK SHOX BOXXER - 150mm TRAVEL, 20mm THRU-AXLE	FORK
YETI/ASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, OWALIZED TOP TUBE, FASTBACK DOUBLE-TAPERED SEAT STAYS, OVERSIZED, DOUBLE-TAPERED CHAIN STAYS W/LOW PROFILE S-BEND	YETI/EASION 7005 CUSTOM TAPERED ALIMINUM FRAME, VALIZED TOP TUBE, FASTBACK COUBLE-TAPERED SEAT STAYS, OVERSIZED, DOUBLE-TAPERED CHAIN STAYS W/LOW PROFILE S-BEND	YEIT 7005 CUSTOM BRAWN ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OVALIZED TOP TUBE, EXTERNALLY PROFILED HAD TUBE, SYMMETRY ONE- PIECE, TAPERED LODP TAIL, 3/8" THICK PLATE DROPOUTS"	YEIT 7,005 CUSTOM DRAMIN ALIMINUM FRAME. SUSPENSION-SPECIFIC DESIGN, OWALIZED TOP TUBE. EXTERNALLY PROFILED HEAD TUBE. SYMMETRY ONE-PIECE, TAPREED LOOP TAIL, 3/8" THICK PLATE DROPOUTS	YETI/EKSTON 7005 CUSTOM MAFERED ALIUMIUM FRAME, SUSPENSION- SPECIFIC DESIGN, OWALIZED TOP TUBE, VERTICALLY FLARED DOWN TUBE, EXTERNALLY PROFILED HEAD TUBE, DOUBLE-TAPERED, ONE-PIECE LOOP TALL, 3/8** THICK PLATE DROPOUTS*	YEIT 6061 CUSTOM BUTTED ALUMINUM FRANE, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, CUSSETED DOWN TUBE, ROCK SHOX COUPE DELUXE SHOCK W/ADJUSTABLE DAMPING & SPRING RATE	YETI 6061 CUSTOM BUTTED ALIMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, COUSETED DOWN TUBE, BOCK SHOX COUPE DELUXE SHOCK W/ADJUSTABLE DOWNTING & SPRING BATE, HYDRAULIC DISK BRAKES FRONT & REAR	EASTON 7005 TAPERED ALUMINUM MAIN FRAME/5001 LAWWILL FULL ENERGY TRANSFER SYSTEM (E.E.T.S.) TALL, SUSPENSION-SPECIFIC DESIGN. ADJUSTABLE RIDE HEIGHT, ROCK SHOX COUPE DELLOW, PLLL SHOCK WHADJUSTABLE DAMPING AND PRELICAD, HYDRAULIC DISK BRAKES FRONT & REAR	FRAME
METALLIC BLUE W/TROY LEE DESIGNS GRAPHICS - SILVER, BLACK, WHITE	YELLOW W/TROY LEE DESIGNS GRAPHICS - TURQUOISE, SILVER, BLACK	CREME W/TROY LEE DESIGNS GRAPHICS - BLACK, RED, BLACK RED W/TROY LEE DESIGNS GRAPHICS - CREME, BLACK, WHITE	CREME W/TROY LEE DESIGNS GRAPHICS - BLACK, RED, BLACK RED W/TROY LEE DESIGNS GRAPHICS - CREME, BLACK, WHITE	TURQUOISE W/TROY LEE DESIGNS GRAPHICS YELLOW BLACK, WHITE ORANGE W/TROY LEE DESIGNS GRAPHICS - WHITE, BLACK, WHITE	YELLOW W/TURQUOISE SEATSTAY & YELLOW GHAINSTAY W/TROY LEE DESIGNS GRAPHICS - TURQUOISE, SILVER, BLACK	CLEAR HARD ANODIZED W/EGGPLANT SEATSTA' & CHAINSTAY W/TROY LEE DESIGNS GRAPHICS - MANGO, EGG-PLANT, BLACK	DH 6 - TURQUOISE W/YELLOW TAIL DH 4 - TURQUOISE W/YELLOW SEATSTAY & TURQUOISE CHAINSTAY W/TROY LEE DESIGNS GRAPHICS - YELLOW, BLACK, WHITE	COLOR/GRAPHICS
49, 51, 53, 55, 57, 59, 61 cm (COMPLETE & FRAMESET)	49, 51, 53, 55, 57, 59, 61 cm (COMPLETE & FRAMESET)	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)	16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)	16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)	14", 16", 18.5" (COMPLETE & FRAME ONLY)	SIZES
ROAD PROJECT ULTEGRA	ROAD PROJECT DURA ACE	F.R.O. ALLOY LXT	F.R.O. ALLOY XT	A.R.C. XTR	A.S 3 XC LXT	A.S 3 All Mountain XT	LAWWILL DH 4 or 6 XTR	MODEL

20"
23.0"
71°
72°
72°
16.9"
11.5"
11.62"
11.62"
11.62"

tain

Specifications are subject to change without notice.

